



ΜΟΥΣΕΙΟ ΓΟΥΛΑΝΔΡΗ ΦΥΣΙΚΗΣ ΙΣΤΟΡΙΑΣ
ΕΛΛΗΝΙΚΟ ΚΕΝΤΡΟ ΒΙΟΤΟΠΩΝ-ΥΓΡΟΤΟΠΩΝ

Τεχνητή Λίμνη Αδριανής

Φυσικοχημικά δεδομένα

2013 - 2016

ΕΘΝΙΚΟ ΔΙΚΤΥΟ ΠΑΡΑΚΟΛΟΥΘΗΣΗΣ ΛΙΜΝΩΝ



ΥΠΟΥΡΓΕΙΟ
ΠΕΡΙΒΑΛΛΟΝΤΟΣ
& ΕΝΕΡΓΕΙΑΣ



ΕΙΔΙΚΗ
ΓΡΑΜΜΑΤΕΙΑ
ΥΔΑΤΩΝ


Ελληνικό Κέντρο Βιοτόπων-Υγροτόπων. Τεχνητή Λίμνη Αδριανής. Φυσικοχημικά δεδομένα 2013-2016. Εθνικό Δίκτυο Παρακολούθησης των υδάτων των λιμνών της Ελλάδας (Οδηγία 2000/60/ΕΚ), Ειδική Γραμματεία Υδάτων-ΥΠΕΝ.

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΗΣΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΧΝΕΥΣΗΣ	ΒΑΘΟΣ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR001200030020H500	Techniti Limni N. Adrianis	28	1	2013	Secchi depth	m	0,25					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	11	6	2013	pH	pH	8,67					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	11	6	2013	Electrical conductivity	µS/cm	561,10					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	11	6	2013	Secchi depth	m	1,40					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	11	6	2013	Oxygen saturation	%	99,80					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	11	6	2013	Dissolved oxygen	mg/l O2	8,36					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	11	6	2013	Temperature (water)	°C	24,1					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	pH	pH	8,75					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Electrical conductivity	µS/cm	455,80					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Secchi depth	m	0,60					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Oxygen saturation	%	100,00					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Dissolved oxygen	mg/l O2	8,40					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Temperature (water)	°C	24,5					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Ammonium	mg/l N	0,31	<	0,31	0,16		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Orthophosphates	mg/l P	0,33	<	0,33	0,13		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	19	7	2013	Nitrate	mg/l N	0,09	<	0,09	0,03		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	pH	pH	8,14					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	Electrical conductivity	µS/cm	546,90					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	Secchi depth	m	0,50					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	Oxygen saturation	%	119,00					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	Dissolved oxygen	mg/l O2	9,99					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	Ammonium	mg/l N	0,31	<	0,31	0,16		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	Orthophosphates	mg/l P	0,33	<	0,33	0,13		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	30	9	2013	Nitrate	mg/l N	0,09	<	0,09	0,03		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	19	12	2013	pH	pH	7,89					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	12	2013	Electrical conductivity	µS/cm	530,20					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	12	2013	Secchi depth	m	0,40					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	19	12	2013	Oxygen saturation	%	103,50					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	12	2013	Dissolved oxygen	mg/l O2	8,32					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	19	12	2013	Temperature (water)	°C	5,8					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΗΣΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΧΝΕΥΣΗΣ	ΒΑΘΟΣ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	pH	pH	9.14					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	Electrical conductivity	µS/cm	608.30					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	Oxygen saturation	%	148.50					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	Dissolved oxygen	mg/l O2	15.44					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	Temperature (water)	°C	13.5					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	Ammonium	mg/l N	0.31	<	0.31	0.16		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	Orthophosphates	mg/l P	0.33	<	0.33	0.13		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	20	2	2014	Nitrate	mg/l N	0.19		0.09	0.03		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	29	4	2014	Electrical conductivity	µS/cm	640.60					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	29	4	2014	Oxygen saturation	%	120.30					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	29	4	2014	Dissolved oxygen	mg/l O2	11.15					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	29	4	2014	Temperature (water)	°C	18.6					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	24	6	2014	pH	pH	8.98					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	24	6	2014	Electrical conductivity	µS/cm	577.20					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	24	6	2014	Secchi depth	m	0.10					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	24	6	2014	Oxygen saturation	%	119.80					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	24	6	2014	Dissolved oxygen	mg/l O2	9.85					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	24	6	2014	Temperature (water)	°C	25.6					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	14	7	2014	Electrical conductivity	µS/cm	525.30					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	14	7	2014	Secchi depth	m	0.25					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	14	7	2014	Oxygen saturation	%	131.90					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	14	7	2014	Dissolved oxygen	mg/l O2	10.50					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	14	7	2014	Temperature (water)	°C	26.9					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΗΣΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΧΝΕΥΣΗΣ	ΒΑΘΟΣ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR001.2000.30020H500	Techniti Limni N. Adrianis	19	1	2015	pH	pH	8,07					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	19	1	2015	Electrical conductivity	µS/cm	363,80					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	24	2	2015	pH	pH	7,89					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	24	2	2015	Electrical conductivity	µS/cm	330,80					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	24	2	2015	Oxygen saturation	%	97,70					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	24	2	2015	Dissolved oxygen	mg/l O2	11,23					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	24	2	2015	Temperature (water)	°C	8,8					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	3	2015	Electrical conductivity	µS/cm	251,40					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	3	2015	Secchi depth	m	0,35					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	3	2015	Oxygen saturation	%	100,30					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	3	2015	Dissolved oxygen	mg/l O2	10,56					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	3	2015	Temperature (water)	°C	12,8					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	pH	pH	8,33					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	Electrical conductivity	µS/cm	240,50					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	Secchi depth	m	0,50					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	Oxygen saturation	%	100,70					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	Dissolved oxygen	mg/l O2	10,30					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	Temperature (water)	°C	14,8					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	Total phosphorus	mg/l P	0,040		0,01			Sampling depth: Euphotic zone. APHA* 4500-P E, Standard methods for the examination of water and wastewater. 2012. 22ndedition.
GR001.2000.30020H500	Techniti Limni N. Adrianis	23	4	2015	Nitrate	mg/l N	0,54		0,09	0,03		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001.2000.30020H500	Techniti Limni N. Adrianis	25	5	2015	pH	pH	8,12					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	25	5	2015	Electrical conductivity	µS/cm	314,40					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, in situ measurement with portable meter
GR001.2000.30020H500	Techniti Limni N. Adrianis	25	5	2015	Secchi depth	m	0,15					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΗΣΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΧΝΕΥΣΗΣ	ΒΑΘΟΣ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	Total phosphorus	mg/l P	0,049		0,029			Sampling depth: Euphotic zone. APHA* 4500-P E, Standard methods for the examination of water and wastewater. 2012. 22ndedition.
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	Temperature (water)	°C	29,5					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	Secchi depth	m	0,3					CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	pH	pH	9,61					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	Oxygen saturation	%	156,60					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	Nitrate	mg/l N	0,17	<	0,170	0,06		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	Electrical conductivity	µS/cm	566,30					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	1	8	2016	Dissolved oxygen	mg/l O2	11,94					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	2	11	2016	Total phosphorus	mg/l P	0,071		0,029			Sampling depth: Euphotic zone. APHA* 4500-P E, Standard methods for the examination of water and wastewater. 2012. 22ndedition.
GR001200030020H500	Techniti Limni N. Adrianis	2	11	2016	Temperature (water)	°C	14,7					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	2	11	2016	pH	pH	8,67					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	2	11	2016	Oxygen saturation	%	108,90					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	2	11	2016	Nitrate	mg/l N	0,17	<	0,170	0,06		Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR001200030020H500	Techniti Limni N. Adrianis	2	11	2016	Electrical conductivity	µS/cm	733,30					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001200030020H500	Techniti Limni N. Adrianis	2	11	2016	Dissolved oxygen	mg/l O2	11,07					Sampling depth: Euphotic zone. CEN ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter



ΜΟΥΣΕΙΟ ΓΟΥΛΑΝΔΡΗ ΦΥΣΙΚΗΣ ΙΣΤΟΡΙΑΣ
ΕΛΛΗΝΙΚΟ ΚΕΝΤΡΟ ΒΙΟΤΟΠΩΝ-ΥΓΡΟΤΟΠΩΝ

14ο χλμ ΘΕΣΣΑΛΟΝΙΚΗΣ-ΜΗΧΑΝΙΩΝΑΣ | Τ.Θ. 60394, Τ.Κ. 570 01 ΘΕΡΜΗ | Τ 2310 473320 | Φ 2310 471795 | W <http://www.ekby.gr>



Ευρωπαϊκή Ένωση
Ταμείο Συνοχής



Με τη συγχρηματοδότηση της Ελλάδας και της Ευρωπαϊκής Ένωσης
Co-financed by the European Union