



ΜΟΥΣΕΙΟ ΓΟΥΛΑΝΔΡΗ ΦΥΣΙΚΗΣ ΙΣΤΟΡΙΑΣ
ΕΛΛΗΝΙΚΟ ΚΕΝΤΡΟ ΒΙΟΤΟΠΩΝ-ΥΓΡΟΤΟΠΩΝ

Τεχνητή Λίμνη Λευκογείων

Φυσικοχημικά δεδομένα

2013 - 2016

ΕΘΝΙΚΟ ΔΙΚΤΥΟ ΠΑΡΑΚΟΛΟΥΘΗΣΗΣ ΛΙΜΝΩΝ



ΥΠΟΥΡΓΕΙΟ
ΠΕΡΙΒΑΛΛΟΝΤΟΣ
& ΕΝΕΡΓΕΙΑΣ



ΕΙΔΙΚΗ
ΓΡΑΜΜΑΤΕΙΑ
ΥΔΑΤΩΝ


Ελληνικό Κέντρο Βιοτόπων-Υγροτόπων. Τεχνητή Λίμνη Λευκογείων. Φυσικοχημικά δεδομένα 2013-2016. Εθνικό Δίκτυο Παρακολούθησης των υδάτων των λιμνών της Ελλάδας (Οδηγία 2000/60/ΕΚ), Ειδική Γραμματεία Υδάτων-ΥΠΕΝ.

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΗΣΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΧΝΕΥΣΗΣ	ΒΑΘΟΣ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR0011000300010H500	Techniti Limni Leukegion	17	6	2013	pH	pH	9,45					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	17	6	2013	Electrical conductivity	µS/cm	158,4					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	17	6	2013	Secchi depth	m	0,80					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi disc
GR0011000300010H500	Techniti Limni Leukegion	17	6	2013	Oxygen saturation	%	150,50					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	17	6	2013	Dissolved oxygen	mg/l O2	12,44					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	17	6	2013	Temperature (water)	°C	22,4					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	pH	pH	8,84					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Electrical conductivity	µS/cm	123,88					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Secchi depth	m	0,80					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Oxygen saturation	%	66,90					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Dissolved oxygen	mg/l O2	5,15					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Temperature (water)	°C	25,2					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Ammonium	mg/l N	0,31	<	0,31	0,16		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Orthophosphates	mg/l P	0,33	<	0,33	0,13		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	2	8	2013	Nitrate	mg/l N	0,09	<	0,09	0,03		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	pH	pH	8,18					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	Electrical conductivity	µS/cm	128,78					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	Secchi depth	m	0,60					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	Oxygen saturation	%	83,50					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	Dissolved oxygen	mg/l O2	6,77					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	Temperature (water)	°C	22,3					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	Ammonium	mg/l N	0,31	<	0,31	0,16		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	4	9	2013	Orthophosphates	mg/l P	0,33	<	0,33	0,13		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Nitrate	mg/l N	0,09	<	0,09	0,03		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Electrical conductivity	µS/cm	161,9					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Secchi depth	m	1,20					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Oxygen saturation	%	95,90					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Dissolved oxygen	mg/l O2	8,79					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Temperature (water)	°C	15,9					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Ammonium	mg/l N	0,31	<	0,31	0,16		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	18	10	2013	Orthophosphates	mg/l P	0,33	<	0,33	0,13		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Ion Chromatography
GR0011000300010H500	Techniti Limni Leukegion	11	12	2013	Electrical conductivity	µS/cm	161,9					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	11	12	2013	Secchi depth	m	1,00					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR0011000300010H500	Techniti Limni Leukegion	11	12	2013	Oxygen saturation	%	66,90					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	11	12	2013	Dissolved oxygen	mg/l O2	7,70					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR0011000300010H500	Techniti Limni Leukegion	11	12	2013	Temperature (water)	°C	6,8					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΙΧΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΧΝΕΥΣΗΣ	ΒΑΘΟΣ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR001100030010H500	Techniti Limni Leukegeion	7	1	2014	pH	pH	7,57					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	1	2014	Electrical conductivity	µS/cm	182,80					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	1	2014	Secchi depth	m	1,20					CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukegeion	7	1	2014	Oxygen saturation	%	77,90					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	1	2014	Dissolved oxygen	mg/l O2	9,51					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	1	2014	Temperature (water)	°C	4,2					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	11	4	2014	pH	pH	8,58					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	11	4	2014	Electrical conductivity	µS/cm	158,30					CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukegeion	11	4	2014	Secchi depth	m	1,20					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	11	4	2014	Oxygen saturation	%	115,00					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	11	4	2014	Dissolved oxygen	mg/l O2	11,05					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	11	4	2014	Temperature (water)	°C	13,7					CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukegeion	12	6	2014	pH	pH	8,61					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	12	6	2014	Electrical conductivity	µS/cm	132,60					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	12	6	2014	Secchi depth	m	1,30					CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukegeion	12	6	2014	Oxygen saturation	%	102,40					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	12	6	2014	Dissolved oxygen	mg/l O2	8,39					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	12	6	2014	Temperature (water)	°C	21,8					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	7	2014	pH	pH	9,24					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	7	2014	Secchi depth	m	1,80					CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukegeion	7	7	2014	Oxygen saturation	%	140,40					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	7	2014	Dissolved oxygen	mg/l O2	10,59					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukegeion	7	7	2014	Temperature (water)	°C	26,4					Sampling depth: Euphotic zone. CEN. ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010												

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΗΣΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΚΝΕΥΣΗΣ	ΟΡΙΟ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR001100030010H500	Techniti Limni Leukeogion	19	1	2015	pH	ρΗ	7.38					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	19	1	2015	Electrical conductivity	μS/cm	151,90					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	19	1	2015	Secchi depth	m	1.00					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukeogion	19	1	2015	Oxygen saturation	%	72.50				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	19	1	2015	Dissolved oxygen	mg/l O2	8.93				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	19	1	2015	Temperature (water)	°C	3.6				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	11	2	2015	pH	ρΗ	7.66					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	11	2	2015	Electrical conductivity	μS/cm	142,90					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	11	2	2015	Oxygen saturation	%	78.60				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	11	2	2015	Dissolved oxygen	mg/l O2	9.41				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	11	2	2015	Temperature (water)	°C	4.6				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	17	3	2015	pH	ρΗ	7.33					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	17	3	2015	Secchi depth	m	0.65					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukeogion	17	3	2015	Oxygen saturation	%	86.90				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	17	3	2015	Dissolved oxygen	mg/l O2	10.30				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	17	3	2015	Temperature (water)	°C	5.5				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	pH	ρΗ	7.92					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	Electrical conductivity	μS/cm	119,60					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	Secchi depth	m	0.50					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	Oxygen saturation	%	99.40				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	Dissolved oxygen	mg/l O2	10.75				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	Temperature (water)	°C	9.0				2	CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	Total phosphorus	mg/l P	0.050		0.01			Sampling depth: Euphotic zone. APHA* 4500-P E, Standard methods for the examination of water and wastewater. 2012. 22ndedition.
GR001100030010H500	Techniti Limni Leukeogion	14	4	2015	Nitrate	mg/l N	0.13		0.09	0.03		Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667

ΕΘΝΙΚΟΣ ΚΩΔΙΚΟΣ ΣΤΑΘΜΟΥ	ΕΘΝΙΚΟ ΟΝΟΜΑ ΣΤΑΘΜΟΥ	ΗΜΕΡΑ ΔΕΙΓΜΑΤΟΣ	ΜΗΝΑΣ ΔΕΙΓΜΑΤΟΣ	ΕΤΟΣ ΔΕΙΓΜΑΤΟΣ	ΠΑΡΑΜΕΤΡΟΣ	ΜΟΝΑΔΑ ΜΕΤΡΗΣΗΣ	ΜΕΤΡΗΣΗ	ΕΚΤΟΣ ΟΡΙΟΥ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΠΟΣΟΤΙΚΟΠΟΙΗΣΗΣ	ΟΡΙΟ ΑΝΙΧΝΕΥΣΗΣ	ΒΑΘΟΣ ΔΕΙΓΜΑΤΟΣ	ΣΧΟΛΙΑ
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	Temperature (water)	°C	17,7					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	Secchi depth	m	1,20					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	pH	pH	8,05					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	Oxygen saturation	%	76,80					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	Nitrite	mg/l N	0,25	<	0,250	0,08		Sampling depth: Euphotic zone. CEN_ISO/Method: ISO 10304-01, 2007, modified.
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	Nitrate	mg/l N	0,17	<	0,170	0,06		Sampling depth: Euphotic zone. CEN_ISO/Method: ISO 10304-01, 2007, modified.
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	Electrical conductivity	µS/cm	167,40					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	30	10	2016	Dissolved oxygen	mg/l O2	6,83					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	9	11	2016	Total phosphorus	mg/l P	0,029	<	0,029			Sampling depth: Euphotic zone. APHA* 4500-P E, Standard methods for the examination of water and wastewater. 2012. 22nd edition.
GR001100030010H500	Techniti Limni Leukogeion	9	11	2016	Temperature (water)	°C	12,4					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	9	11	2016	Secchi depth	m	0,90					CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, Use of Secchi Disc
GR001100030010H500	Techniti Limni Leukogeion	9	11	2016	Oxygen saturation	%	76,70					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	9	11	2016	Electrical conductivity	µS/cm	168,80					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter
GR001100030010H500	Techniti Limni Leukogeion	9	11	2016	Dissolved oxygen	mg/l O2	7,53					Sampling depth: Euphotic zone. CEN_ISO/Method: Adapted EN ISO 5667-1:2006/AC:2007, Adapted EN ISO 5667-3:2003, In situ measurement with portable meter



ΜΟΥΣΕΙΟ ΓΟΥΛΑΝΔΡΗ ΦΥΣΙΚΗΣ ΙΣΤΟΡΙΑΣ
ΕΛΛΗΝΙΚΟ ΚΕΝΤΡΟ ΒΙΟΤΟΠΩΝ-ΥΓΡΟΤΟΠΩΝ

14ο χλμ ΘΕΣΣΑΛΟΝΙΚΗΣ-ΜΗΧΑΝΙΩΝΑΣ | Τ.Θ. 60394, Τ.Κ. 570 01 ΘΕΡΜΗ | Τ 2310 473320 | Φ 2310 471795 | W <http://www.ekby.gr>



Ευρωπαϊκή Ένωση
Ταμείο Συνοχής



Με τη συγχρηματοδότηση της Ελλάδας και της Ευρωπαϊκής Ένωσης
Co-financed by the European Union